

Trussing Stage

TS5



Trussing Stage

TS5



TS5 Stage

Width	Depth	Height
9m	6m	4.5m
Decking		
8m	6m	1m
Advertising Wings (Banner not included)		
1.75m	0m	3m
Set Up / Breakdown (*When hired as part of package)		
Estimated Time	Free Days Prior*	Free Days After*
5 Hours	1	1

Trussing Stage

TS5


Overhead View

Steps to Decking



TS5 Stage Branding Options

Type	Height	Width	Fixing
Wing (x2)	3m	1.75m	Eyelets
Backdrop	2.4m	8m	Eyelets
Skirt	1m	8m	Top: Velcro (Loops) Bottom: Eyelets



Trussing Stage

TS5

			Trussing Stage (TS5) 8 x Stakes/Ground Anchors
			Stage Type
			Roof, Back & Sides
			Surface Area (m ²)
			128
			Mass / Downforce (kg)
			2200
Wind Speed			
BF	mph	m/s	
3	8	3.6	
3	10	4.5	
3	12	5.4	
4	14	6.3	
4	16	7.2	
5	18	8.0	
5	20	8.9	
5	22	9.8	
5	24	10.7	
6	26	11.6	
6	28	12.5	
6	30	13.4	
7	32	14.3	
7	34	15.2	
7	36	16.1	
7	38	17.0	
8	40	17.9	
8	42	18.8	
8	44	19.7	
8	46	20.6	
9	48	21.5	
9	50	22.4	
9	52	23.2	
9	54	24.1	
10	56	25.0	
10	58	25.9	
10	60	26.8	

Action Level	Action
Green	Monitor wind speed at regular intervals
Yellow	Prepare to halt construction/ performance until safe condi-
Amber	Assess risk and instigate mitigation measures ie removal of side covers and/or roof. Prepare for evacuation.
Red	Evacuate site. Do not return until conditions have improved. No one to approach stage until PLRS have assessed structural integrity.